

48 inch Dual Fuel Range, 6 brass burners and Griddle, Electric Self-Clean Oven Master Series




MAST486GDFSXT

The new Bertazzoni ranges are superb cooking appliances designed, engineered and made in Italy. All Bertazzoni appliances integrate seamlessly into style-harmonized suites for a true, high-performing kitchen.

The high-efficiency maintop with 6 brass burners and electric griddle features 2 dual ring 19,000 BTU power-burners that boil water in under 6 minutes (best in class), and 4 additional MonoBloc burners of variable size and power to suit every style of cooking, with delicate simmer at 750 BTUs. The stainless steel griddle with integrated cover provides additional cooking options.

The 4.6 cubic feet self-cleaning oven is the largest in its class, with dual convection fan for balanced airflow and even temperature baking and roasting on 7 shelf levels. The elegant digital temperature gauge monitors the actual temperature in the oven and has integrated controls in the bezel for the food temperature probe. The extra wide electric broiler with optional convection is ideal for grilling and searing at high heat. The 2.4 cubic feet auxiliary oven is perfect for smaller dishes and for warming. Both ovens include convenient features such as smooth telescopic glides for the oven shelves and soft-close doors. The edge-to-edge interior oven glass door maximizes interior

volume and can be wiped clean without effort.

All Bertazzoni appliances are covered by a 2-year warranty. Products and packaging are 99% recyclable. 

Specifications

Features

Worktop

Size	48 in
Cooking zones	7
Gas zones	6 burners
Griddle zones	electric
Worktop type	gas
Knobs	solid metal
Burner type	brass
Grates	cast iron
Continuous grating	yes
Thermocouple safety device	yes
One-hand ignition	yes
Backguard	yes
Wok adapter	yes
Simmer ring	yes

Cooking zones

Dual wok	1300 BTU/h - 19 000 BTU/h (2)
Rapid	2500 BTU/h - 10 400 BTU/h (1)
Semi-rapid	1500 BTU/h - 5900 BTU/h (2)
Auxiliary	750 BTU/h - 3500 BTU/h (1)
Griddle power	1 100 W
Griddle drip tray	yes
Griddle dual control	yes

Oven cavity

Oven configuration	double
Oven fuel	electric
Oven convection system	dual diagonal with heating element
Main oven type	electric pyrolytic

Main oven broiler type	electric
Main oven functions	bake / broiler / convection / convection bake / convection broiler / dehydrate / pi
Main oven volume	4.6 ft ³
Auxiliary oven type	electric conventional
Auxiliary oven broiler type	electric
Auxiliary oven functions	bake / bottom bake / broiler / upper bake
Auxiliary oven volume	2.4 ft ³
Inner oven door	triple
Removable inner glass	yes
Cooling fan	yes
Oven levels	7
Food probe	yes
Door hinge	soft-close
Sliding shelves	2 sets of telescopic glides
Wire-shelves	2 each cavity
Tray	1 enamelled
Grill trivet for tray	yes
Oven lights	double lateral

Bottom

Legs	stainless steel
------	-----------------

Technical specifications

Electrical requirements	120/240V 60 Hz - 8500W 40 A / 120/208V 60 Hz - 6800W 40 A
-------------------------	---

Dimensions

