

## 36 Front Control Gas Cooktop 5 burners Professional Series



### **PROF365CTXV**

Bertazzoni front-control gas cooktops put Italian design and precision at the heart of your kitchen. As beautiful as they are practical, they sit almost flush with countertops and cabinets. It's extremely low-depth design makes it ideal for installation over a Bertazzoni oven.

The combination of 5 flexible burners and cast iron contour grates let you cook like a professional. The grates offer maximum space to fit pots and pans of different sizes with ease. Cook pasta, sear meat and stir fry with a wok, or delicately melt chocolate and warm cream on the simmer burner.

Cleaning up afterwards is easy, thanks to the seamless one-piece stainless worktop with no gaps, joints or fasteners.

Safety is designed-in with the 100% fail-safe thermocouple technology. It instantly shuts off the gas if the flame goes out, offering peace of mind and protection for your family and home.

Bertazzoni front-control gas cooktops are ADA compliant. Designed and manufactured with pride in Italy, they are covered by an industry-leading 2-year parts and labor warranty.

# Specifications

## Features

### Worktop

|                            |                         |
|----------------------------|-------------------------|
| Size                       | 36 in                   |
| Cooking zones              | 5                       |
| Number of gas zones        | 5                       |
| Worktop type               | gas                     |
| Worktop design             | stainless steel pressed |
| Worktop controls           | knobs                   |
| Knobs                      | solid metal             |
| Burner type                | aluminium               |
| Grates                     | cast iron               |
| Continuous grating         | yes                     |
| Thermocouple safety device | yes                     |
| One-hand ignition          | yes                     |
| Simmer ring                | yes                     |

### Cooking zones

|               |               |
|---------------|---------------|
| Triple ring   | 17000 BTU (1) |
| Medium burner | 6000 BTU (2)  |
| Simmer burner | 3750 BTU (1)  |

### Technical specifications

|                         |                                |
|-------------------------|--------------------------------|
| Electrical supply       | 120 V - 60 Hz - 1 W / 1 Amps   |
| Power connection        | NEMA 5-15P with 59" power cord |
| Certification           | UL                             |
| Gas type                | NG                             |
| Conversion kit included | LPG                            |

---

# Dimensions

---

