24" Built-in Freezer Column Panel Ready
Professional Series

REF24FCIPRR

These premium built-in column freezers are masterpieces of Bertazzoni design and technology. Their stylish panel ready front doors reflect close attention to detail and high-quality materials, inside and out.

The large capacity cavity offers versatile storage with 2 height-adjustable shelves, plus the top of the ice maker acting as another shelf. 2 drawers and 2 height-adjustable door bins complete the picture.

Intuitive temperature controls allow for total accuracy with a digital user interface and LCD display. The variable speed compressor offers optimal temperature control including rapid freezing and lateral air circulation keeps the entire freezer at the same temperature throughout. You can select ice cube size with the automatic ice maker with water filter and increase ice production up to 50% with Super Ice function.

Proprietary lift & swing hinges allow for flush installation with minimal clearance from surrounding cabinet panels. This allows for elegant configurations of refrigerator, freezer and wine cellar in any desired width. All three columns work in harmony with handles and finishes available for every Series.

Bertazzoni column freezers are designed with pride in Italy and covered by an industry-leading 2-year parts and labor warranty.

Specifications

Features

General features

Size	24 in
User interface	digital touch control interface inside
Modes	Shopping, Vacation, Bottle cooler, Ice maker, Water filter, Super ice, Sabbath mode
Lighting	LED lights interior illumination
Water filter	yes - external
Open door alarm	yes
Door finishing	panel ready
Included accessories	ice tray
Interior finish	white aluminium
Finishing	Panel Ready for custom cabinet door
Number of shelves	2
Freezer drawers	2
Door storage	2
Automatic ice maker	yes
Ice production capacity	2.2 lbs/24 hrs
DOE compliant	yes
Water inlet	rear of product
Freezer net capacity	12.64 cu.ft^3
Water supply pressure	8 psi to 75 psi
Certification	CETLUS

Technical specifications

Electrical supply	115 V - 60 Hz - 327 W - 3 Amp
Power connection	NEMA 5-15P with 79" power cord
Energy consumption	548.0 kWh/yr

Dimensions

LEFT SWING DOOR

4 1/4" (108) 24" (609)

24 1/4" (615)

46 3/4" (1187)

100°

83 1/2" (2120) + 1"(25)

24" (609) 4 1/4" (108)

RIGHT SWING DOOR

24 1/4" (615)

46 3/4" (1187)

100°

83 1/2" (2120) + 1"(25)

*Maximum Overall Handle Dimension
**Width of 3/4" (19mm) Door Panel