

## 30" Built-in Freezer Column Panel Ready Professional Series



### REF30FCIPRR

These premium built-in column freezers are masterpieces of Bertazzoni design and technology. Their stylish panel ready front doors reflect close attention to detail and high-quality materials, inside and out.

The large capacity cavity offers versatile storage with 2 height-adjustable shelves, plus the top of the ice maker acting as another shelf. 3 drawers and 2 height-adjustable door bins complete the picture.

Intuitive temperature controls allow for total accuracy with a digital touch-control user interface. The variable speed compressor offers optimal temperature control including rapid freezing and lateral air circulation keeps the entire freezer at the same temperature throughout. You can select ice cube size with the automatic ice maker with water filter and increase ice production up to 50% with Super Ice function.

Proprietary lift & swing hinges allow for flush installation with minimal clearance from surrounding cabinet panels. This allows for elegant configurations of refrigerator, freezer and wine cellar in any desired width. All three columns work in harmony with handles and finishes available for every Series.

Bertazzoni column freezers are designed with pride in Italy and covered by an industry-leading 2-year parts and labor warrant

# Specifications

## Features

### Refrigerator

Size	30 in
Style	built-in freezer column
Finishing	Panel Ready for custom cabinet door
Interior finish	white aluminium
User interface	digital touch control interface inside
Lighting	LED lights interior illumination
Shelves	2
Drawer freezer	3
Door storage	2
Open door alarm	yes
Automatic ice maker	yes
Ice production capacity	2.2 lbs/24 hrs
Modes	Shopping, Vacation, Bottle cooler, Ice maker, Water filter, Super ice, Sabbath mode
Included accessories	ice tray
DOE compliant	yes
Water inlet	rear of product
Freezer capacity	16.84 cu.ft <sup>3</sup>
Water filter	yes - external
Water supply pressure	8 psi to 75 psi
Certification	CETLUS

### Technical specifications

Electrical supply	115 V - 60 Hz - 327 W - 3 Amp
Power connection	NEMA 5-15P with 79" power cord
Energy consumption	598.0 kWh/yr

# Dimensions

